


# PRODUCT DATASHEET

## Vintage 1906 Pipe Flex

Vintage 1906® Pipe | Indoor industrial design luminaires, vintage style, E27 socket



---

### Areas of application

- Living areas (living rooms, dining rooms, bedrooms etc.)
- Bars, restaurants

---

### Product benefits

- Adjustable appearance thanks to use of separate available E27 lamp shapes
- Easy and quick installation

---

### Product features

- Reduced industrial design
- Special vintage appearance when combined with 1906 LED or halogen lamps
- Luminaire family for various application areas




## TECHNICAL DATA

### Electrical data

|                  |               |
|------------------|---------------|
| Nominal voltage  | 220...240 V   |
| Mains frequency  | 50...60 Hz    |
| Protection class | I             |
| Operating mode   | Mains voltage |

### Dimensions & Weight

|                |           |
|----------------|-----------|
| Length         | 430.00 mm |
| Width          | 100.00 mm |
| Height         | 410.00 mm |
| Product weight | 1050.00 g |



### Materials & Colors

|                 |        |
|-----------------|--------|
| Product color   | Black  |
| Housing color   | Black  |
| Body material   | Steel  |
| Mercury content | 0.0 mg |

### Application & Mounting

|                              |                |
|------------------------------|----------------|
| Ambient temperature range    | -20...+40 °C   |
| Temperature range at storage | -25...+70 °C   |
| Type of connection           | Screw terminal |
| Type of protection           | IP20           |

|                         |         |
|-------------------------|---------|
| Dimmable                | No      |
| Mounting type           | Surface |
| Mounting location       | Ceiling |
| Application environment | Indoor  |
| With light source       | No      |
| Holder designation      | E27     |

### Certificates & Standards

|  |                  |
|--|------------------|
| Standards  | CE / EAC / REACH |
| Luminaire with limited surface temperature, "D sign" | No               |



### Additional product data

|                       |                            |
|-----------------------|----------------------------|
| Product remark        | Maximum bulb wattage: 40 W |
| Number of illuminants | 5                          |

### EQUIPMENT / ACCESSORIES

- No light sources included
- Complete mounting and connecting accessories included

### DOWNLOAD DATA

| Documents and certificates   |                               |
|--|-------------------------------|
|  | User instruction              |
|  | Declarations Of Conformity CE |

### LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume                |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075217027 | Folding box<br>1             | 133 mm x 133 mm x 473 mm             | 1201.00 g    | 8.37 dm <sup>3</sup>  |
| 4058075217034 | Shipping box<br>10           | 680 mm x 280 mm x 485 mm             | 12838.00 g   | 92.34 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.