

33139 ATL2 GU10-B

Track light projector

5905339331397























Kanlux ACORD ATL 2 are lighting fixtures to be mounted on three-phase track. These are lamps with a replaceable light source that can be adapted to our individual needs. We can choose the color of the fitting: white or black, and a light source. Depending on our needs, we can choose the right color, lighting angle and power. Kanlux ACORD ATL 1 luminaires have a 5-year warranty.

GENERAL DATA:

Colour: black

Place of assembly: rail TEAR Place of application: Indoors

Minimum distance from the illuminated object: 0,5m

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC Rated frequency [Hz]: 50 Maximum power [W]: max 10

Class of protection against electric shock: |

Light source: PAR16 Light source included: no

Cap: GU10

Ambient temperature range to which the product can be

exposed: 5÷25

Enclosure material: aluminum alloy

The fixture is movable horizontally [°]: 330 The fixture is movable vertically [°]: 100

IP class: 20

LOGISTIC DATA:

Packaging method: 30

Number of units in the secondary packaging: $\boldsymbol{1}$

Number of units in the packaging: 30

Net unit weight [g]: 286 Grammage [g]: 380

Length of a unit pack [cm]: 10
Width of a unit pack [cm]: 6.5
Height of a unit pack [cm]: 25.5
Weight of a cardboard box [kg]: 11.4
Width of a cardboard box [cm]: 35.5
Height of a cardboard box [cm]: 27.5
Length of a cardboard box [cm]: 63
Volume of a cardboard box [m³]: 0.061504

Date of issue: 16.11.2022, 06:42


We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.





33139 ATL2 GU10-B

Track light projector





ADDITIONAL INFORMATION:

• for installation on the TEAR N busbar

Date of issue: 16.11.2022, 06:42

We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.

