Product datasheet

OSRAM

COOL BLUE INTENSE HB3

Bluish-white light for xenon look





Xenon look Bluish-white light for stylish xenon look



Up to 4,200 Kelvin

High contrast and brilliantly blue light for most stylish and modern look on the road



Up to 20% more light

For better visibility and shorter reaction times compared to standard halogen lamps



The bluish-white light with up to 4,200 K

Discover COOL BLUE INTENSE - high-tech halogen lamps, almost in the league of xenon lamps. With its powerful and bright bluish-white light up to 4,200 Kelvin, whose cool beam makes it look very like a xenon lamp, it gives real design fans their money's worth. The automotive lamp also provides a high-contrast light similar to daylight, which makes it easier on the eyes than the light from standard lamps. In comparison to standard halogen lamps, the OSRAM COOL BLUE INTENSE range is up to 20% brighter. The modern design with silver cap (H4/H7/H11/HB4) is ideal for use in clear-glass headlights. That gives your car a stylish look.

Product datasheet

Technical data

Product information

Order reference	9005CBI	
Application (Category and Product specific)	Halogen headlight lamp	

Electrical data


Power input	73 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	60.00 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	1700 lm
Luminous flux tolerance	±12 %
Color temperature	4200 К

Dimensions & weight





Diameter	12.0 mm
Product weight	21.00 g
Length	80.3 mm

Lifespan

Lifespan B3	110 h
Lifespan Tc	220 h

Additional product data

Base (standard designation)	P20d

Product datasheet

Capabilities

Technology	HAL		
Certificates & standards			
ECE category	HB3		
Country specific categorizations			
Order reference	9005CBI		

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321660282	COOL BLUE INTENSE HB3	Hard Cover Box 2	114 mm x 48 mm x 106 mm	0.58 dm³	134.08 g
4062172058759	COOL BLUE INTENSE HB3	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm³	755.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.





彖









