

ULTRA LIFE H7

Longer life and 4 year guarantee



4 year OSRAM guarantee

For a worry-free driving pleasure. Refer to www.osram.com/am-guarantee for precise conditions




Extra lifetime

Up to four times longer lifetime compared to standard halogen lamps



More durability

For longer replacement cycles and additional reliability and comfort



The durable light with up to four times longer lifetime

OSRAM ULTRA LIFE automotive lamps are a favorite when it comes to durability. They have an impressive lifespan up to four times longer compared to standard halogen lamps and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). OSRAM provides a 4 year guarantee for the reliable ULTRA LIFE headlight lamps (www.osram.com/am-guarantee). In addition to this, ULTRA LIFE headlight lamps have a modern design with silver cap (H4/H7/H11). They are therefore ideal for frequent drivers or people who use daytime running lights, and can also be used in clear-glass headlights.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

General Product Information

Global order reference	64210ULT
------------------------	----------

Electrical Data


Power input	58 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	55 W
Test voltage	13.2 V

¹⁾ Maximum

Photometric Data

Nominal luminous flux	1500 lm
Luminous flux tolerance	±10 %

Physical Attributes & Dimensions



Diameter	12.0 mm
Product weight	12.20 g
Length	59.0 mm
Lamp base	PX26d

Lifetime Data

Lifespan B3	1000 hr
Lifespan Tc	1500 hr
Guarantee	3+1 years

Product datasheet

Capabilities

Technology	HAL
------------	-----

Certificates & standards


ECE category	H7
--------------	----

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4052899436237 4052899436534 4052899436213 4052899436299 4052899436572 4062172250207 4052899436152 4062172395205 4050300879284 4062172387613 4008321416261 4052899476004 4052899131453 4052899436558
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321416261	OSRA64210ULT	-	-	-



ref_pim_amsproductinfographics

Logistical Data




Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
--------------	---------------------	------------------------------	--------------------------------------	--------	--------------

Product datasheet

4008321416261	ULTRA LIFE H7	Folding carton box 1	34 mm x 34 mm x 58 mm	0.01 dm ³	16.00 g
4008321416285	ULTRA LIFE H7	Shipping carton box 100	356 mm x 186 mm x 129 mm	8.54 dm ³	1775.00 g
4052899436534	ULTRA LIFE H7	Blister 1	135 mm x 95 mm x 35 mm	0.01 dm ³	24.00 g
4052899436541	ULTRA LIFE H7	Shipping carton box 10	279 mm x 115 mm x 146 mm	4.68 dm ³	320.00 g
4052899436558	ULTRA LIFE H7	Hard Cover Box 2	113 mm x 48 mm x 106 mm	0.01 dm ³	117.00 g
4062172058896	ULTRA LIFE H7	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm ³	672.00 g
4062172387613	ULTRA LIFE H7	HFB ECO 2	100 mm x 51 mm x 120 mm	0.01 dm ³	55.00 g
4062172387620	ULTRA LIFE H7	Shipping carton box 10	266 mm x 111 mm x 134 mm	3.96 dm ³	356.00 g
4062172395205	ULTRA LIFE H7	BLI ECO 1	95 mm x 34 mm x 135 mm	0.01 dm ³	23.00 g
4062172395212	ULTRA LIFE H7	Shipping carton box 10	194 mm x 144 mm x 110 mm	3.07 dm ³	286.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	Brochures ULTRA LIFE Leaflet EN
	Product movie ULTRA LIFE Trailer EN
	ref_pim_amsproduct360degreeimages ULTRA LIFE H7 64210ULT

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

Product datasheet



OSRAM