OSRAM

ULTRA LIFE PY21W

Up to four times longer lifetime





Extra lifetime

Up to four times longer lifetime compared to standard auxiliary lamps



More durability

For longer replacement cycles and additional reliability and comfort



Wide product range

Fits for most common auxiliary lamp types



The durable light with up to four times longer lifetime

With ULTRA LIFE, you choose durable signal lamps for your car. The lamps provide a long life span - up to four times longer lifetime compared to standard lamps - and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). They are therefore ideal for frequent drivers.

Product datasheet

Technical data

Product information

| Application (Category and Product specific) | Auxiliary lamp |
|---|----------------|
|---|----------------|

General Product Information

| Global order reference | 7507ULT |
|------------------------|---------|
|------------------------|---------|

Electrical Data

| Power input | 25 W |
|-----------------------|--------|
| Nominal voltage | 12.0 V |
| Nominal wattage | 21 W |
| Test voltage | 13.5 V |
| Power input tolerance | ±6 % |

Photometric Data

| Nominal luminous flux | 280 lm |
|-------------------------|--------|
| Luminous flux tolerance | ±20 % |

Physical Attributes & Dimensions

| Diameter | 25.0 mm |
|----------------|---------|
| Product weight | 8.06 g |
| Length | 52.5 mm |
| Lamp base | BAU15s |

Lifetime Data

| Lifespan B3 | 500 hr |
|-------------|---------|
| Lifespan Tc | 1000 hr |

Capabilities

| Technology | AUX |
|------------|-----|
|------------|-----|

Certificates & standards

| ECE category | PY21W |
|---------------------------|-------------|
| Approval marks – approval | E1 approval |

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Product datasheet

| Date of declaration | 09-07-2024 | | |
|----------------------------------|---|--|--|
| Primary article identifier | 4008321415165 4062172394871 4008321413147 | | |
| Candidate list substance 1 | No declarable substances contained | | |
| Declaration no. in SCIP database | In work | | |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|---------------------------------|--------------------------------------|----------------------|--------------|
| 4008321413161 | ULTRA LIFE PY21W | | - x - x - | 2.57 dm³ | |
| 4008321415172 | ULTRA LIFE PY21W | | - x - x - | 4.68 dm ³ | |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File



ref_pim_amsp_product360degreeimages ULTRA LIFE PY21W 7507ULT

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















