### Product datasheet

## **OSRAM**

# COOL BLUE INTENSE (NEXT GEN) W5W

Extra white light for LED look



Extra white light for stylish LED look



Up to 4,000 Kelvin

High contrast and brilliantly white light for most stylish and modern look on the road



#### The extra white light with up to 4,000 K

COOL BLUE INTENSE signal lamps stand out through their stylish appearance. Their bluish-white light with a color temperature up to 4,000 K provides a cool xenon-like look. The lamps can be used for number plate lights as well as for position and parking lights.

## Product datasheet

#### Technical data

### **Product information**

Application (Category and Product specific)	Auxiliary lamp
_	

#### **General Product Information**

Global order reference	2825CBN
------------------------	---------

#### **Electrical Data**

Power input	5.5 W
Nominal voltage	12.0 V
Nominal wattage	5 W
Test voltage	13.5 V
Power input tolerance	±10 %

#### **Photometric Data**

Nominal luminous flux	50 lm
Luminous flux tolerance	±20 %
Color temperature	3700 K

## Physical Attributes & Dimensions

Diameter	10.0 mm
Product weight	1.50 g
Length	25.1 mm
Lamp base	W2.1x9.5d

#### **Lifetime Data**

Lifespan B3	375 hr
Lifespan Tc	750 hr

## **Capabilities**

Technology	AUX 1)
------------	--------

<sup>1)</sup> Auxiliary signal lamp

## Certificates & standards

ECE category	W5W
--------------	-----

## **Environmental & Regulatory Information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

## Product datasheet

Primary article identifier	4062172218726   4062172215060   4062172394710   4062172218740	
Candidate list substance 1	No declarable substances contained	
Declaration no. in SCIP database	No declarable substances contained	

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172215060	COOL BLUE INTENSE (NEXT GEN) W5W	DK 2	135 mm x 95 mm x 13 mm	0.22 dm <sup>3</sup>	14.00 g
4062172215077	COOL BLUE INTENSE (NEXT GEN) W5W	Shipping carton box 20	140 mm x 105 mm x 146 mm	2.15 dm <sup>3</sup>	189.00 g
4062172394710	COOL BLUE INTENSE (NEXT GEN) W5W	BLI ECO 2	95 mm x 17 mm x 135 mm	0.22 dm <sup>3</sup>	14.00 g
4062172394727	COOL BLUE INTENSE (NEXT GEN) W5W	Shipping carton box 20	142 mm x 104 mm x 104 mm	1.54 dm <sup>3</sup>	173.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

