# **OSRAM**

# **ORIGINAL MINIWATT -**

# Original spare part





#### The cost-effective original spare parts

ORIGINAL MINIWATT signal lamps for cars are original spare parts with reliable OEM quality from OSRAM. The products impress with their hard-glass technology, a high and constant luminous flux as well as a high color temperature.

#### Technical data

#### **Product information**

Application (Category and Product specific)	Auxiliary lamp
---	----------------

#### **General Product Information**


## **Electrical Data**

Power input	5 W
Nominal voltage	12.0 V
Nominal wattage	5 W
Test voltage	13.5 V
Power input tolerance	±7.5 %

#### **Photometric Data**

Nominal luminous flux	80 lm
Luminous flux tolerance	±15 %

## **Physical Attributes & Dimensions**



Diameter	9 mm
Product weight	2.32 g
Length	33.0 mm
Lamp base	BA9s

## **Lifetime Data**

Lifespan B3	150 hr
Lifespan Tc	500 hr

## **Capabilities**

Technology	AUX
------------	-----

#### Certificates & standards

ECE category	-
--------------	---

## **Environmental & Regulatory Information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Primary article identifier 4050300883069   4050300647258   4008321095			
Candidate list substance 1	No declarable substances contained		
Declaration no. in SCIP database	No declarable substances contained		

## Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4008321095015	OSRA64111	-	4739538	-
4050300647258	OSRA64111BLI2	-	-	-

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321095015	ORIGINAL MINIWATT 64111	Unpacked 1	33 mm x 9 mm x 9 mm	0.00 dm <sup>3</sup>	2.00 g
4008321095039	ORIGINAL MINIWATT 64111	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm <sup>3</sup>	231.00 g
4050300647258	ORIGINAL MINIWATT 64111	DK 2	95 mm x 70 mm x 18 mm	0.00 dm <sup>3</sup>	10.00 g
4008321141576	ORIGINAL MINIWATT 64111	Shipping carton box 20	137 mm x 80 mm x 103 mm	1.13 dm <sup>3</sup>	131.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















# **OSRAM**