OSRAM

ORIGINAL - GLASS WEDGE BASE -

Original spare part





The cost-effective original spare parts for motorcycles

The ORIGINAL signal lamps with glass wedge bases can be used as original spare parts for your motorcycle. A large number of applications is possible: Position and parking lights, indicator, brake, fog and reversing lights, instrument and switch lighting, and much more.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	2722
------------------------	------


Electrical Data

Power input	2 W
Nominal voltage	12.0 V
Nominal wattage	2 W
Power input tolerance	±15 %
Test voltage	13.5 V

Photometric Data

Nominal luminous flux	12 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Lamp base	W2x4.6d
Length	20.0 mm
Diameter	5 mm
Product weight	0.40 g

Lifetime Data

Lifespan B3	1300 hr
Lifespan Tc	4000 hr

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	-
--------------	---

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Primary article identifier	4052899407251 4008321032249 4008321094803 4050300925783		
Candidate list substance 1	No declarable substances contained		
Declaration no. in SCIP database	No declarable substances contained		

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321094803	OSRA2722	-	-	-
4050300925783	OSRA2722BLI2	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094803	ORIGINAL - WEDGE BASE 2722	Unpacked 1	20 mm x 5 mm x 5 mm	0.00 dm ³	
4008321094827	ORIGINAL - WEDGE BASE 2722	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	105.00 g
4050300925783	ORIGINAL - WEDGE BASE 2722	Blister 2	95 mm x 70 mm x 18 mm	0.00 dm ³	6.00 g
4008321140333	ORIGINAL - WEDGE BASE 2722	Shipping carton box 20	137 mm x 80 mm x 103 mm	1.13 dm ³	93.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















OSRAM