

# ORIGINAL - METAL BASE P21/4W

Original spare part



## The cost-effective original spare parts for motorcycles

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for motorcycle lamps. Due to the wide product range, the lamps can be used for different applications. Use these lamps for example as position and parking lights or for number plate and side position lights of your motorcycle.

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Auxiliary lamp
---------------------------------------------	----------------

### General Product Information

Global order reference	7225
------------------------	------


### Electrical Data

Power input	25 / 5 W
Nominal voltage	12.0 V
Nominal wattage	21/4 W
Power input tolerance	±6 / ±10 %
Test voltage	13.5 / 13.5 V

### Photometric Data

Nominal luminous flux	440/15 lm
Luminous flux tolerance	±15 / ±20 %

### Physical Attributes & Dimensions



Lamp base	BAZ15d
Length	49.5 mm
Diameter	25.0 mm
Product weight	10.00 g

### Lifetime Data

Lifespan B3	180 / 1250 hr <sup>1)</sup>
Lifespan Tc	290 / 4000 hr <sup>1)</sup>

<sup>1)</sup> Filament 1 / Filament 2

## Product datasheet

### Capabilities

Technology	AUX
------------	-----

### Certificates & standards

ECE category	P21/4W
--------------	--------

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321593009   4062172121378   4052899402119   4008321671875   4050300925547   4062172121033   4008321163974   4050300891514   4062172396226   4062172091749   4062172396202
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

### Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300891514	OSRA7225	-	-	-
4050300925547	-	-	4730330	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891514	ORIGINAL - METAL BASE P21/4W	Unpacked 1	52 mm x 25 mm x 25 mm	0.18 dm <sup>3</sup>	10.00 g
4008321091093	ORIGINAL - METAL BASE P21/4W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm <sup>3</sup>	660.00 g
4050300925547	ORIGINAL - METAL BASE P21/4W	Blister 2	95 mm x 70 mm x 18 mm	0.18 dm <sup>3</sup>	25.00 g
4008321140531	ORIGINAL - METAL BASE P21/4W	Shipping carton box 20	280 mm x 80 mm x 103 mm	2.31 dm <sup>3</sup>	305.00 g
4062172396226	ORIGINAL - METAL BASE P21/4W	BLI ECO 2	70 mm x 27 mm x 95 mm	0.18 dm <sup>3</sup>	32.00 g
4062172396233	ORIGINAL - METAL BASE P21/4W	Shipping carton box 20	164 mm x 124 mm x 78 mm	1.59 dm <sup>3</sup>	354.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Product datasheet

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM