Product datasheet

OSRAM ALLSEASON SUPER / ALLSEASON H7

Extra visibility under all weather conditions





Due to yellow coating



Up to 30% more light

For better visibility and significantly shorter reaction times compared to standard halogen lamps



Better sight Under all weather conditions



Better sight under all weather conditions

With up to 30% more light compared to standard lamps and an interference yellow coating ALLSEASON and ALLSEASON SUPER improve visibility while on the road under all weather conditions.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp

General Product Information

Electrical Data

Power input	58 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	55 W
Test voltage	13.2 V

¹⁾ Maximum

Photometric Data

Nominal luminous flux	1500 lm
Luminous flux tolerance	±10 %

Physical Attributes & Dimensions

Diameter	12.0 mm
Product weight	12.50 g
Length	59.0 mm
Lamp base	PX26d

Lifetime Data

Lifespan B3	330 hr
Lifespan Tc	550 hr

Capabilities

TAL

Certificates & standards

ECE category

H7

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of declaration

09-07-2024

Product datasheet

Primary article identifier	4052899487239 4050300483153 4052899503335 4008321168757
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300483177	ALLSEASON SUPER / ALLSEASON H7		- x - x -	7.73 dm³	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













