# Datasheet and description



# Avide LED Downlight 38° Round 7W NW 4000K

**Product code:** ALDLS38NW-R-7W

**Brand link:** avidelighting.com/qr/ALDLS38NW-R-7W

**ID:** AB-190518

**Company name:** Armin Trade Kft.

Company address: Kossuth utca 22 2/4, 4024 Debrecen



**Date of issue:** 2023-08-25

Page: 1/3

## **SPECIFICATIONS**

EAN code: 5999097916149

Warranty: 3year(s)

Material: PC+PC

Working temperature: -20 -+40°c

Packaging: 1/b 100/c 2400/p

Certifications: CE

## **TECHNICAL DETAILS**

Wattage: 7W

Voltage: 100-265V

Beam angle: 38°

Dimmability: No

Lumen output: 677lm

Color temperature: 4 000K

Lifetime: 20 000h

Energy class:

Type of LED: SMD2835
IP standard: IP20

## **BOX PICTURE**



# Datasheet and description



# Avide LED Downlight 38° Round 7W NW 4000K

**Product code:** ALDLS38NW-R-7W

**Brand link:** avidelighting.com/qr/ALDLS38NW-R-7W

**ID:** AB-190518

**Company name:** Armin Trade Kft.

Company address: Kossuth utca 22 2/4, 4024 Debrecen



**Date of issue:** 2023-08-25

Page: 2/3

#### **PRODUCT SIZE**

Diameter: 90mm
Height: 90mm
Cut out size: 75-85mm

## **CARDBOARD BOX**

EAN: 5999097916149 Packaging: 1/b 100/c 2400/p

Dimensions: 105mm x 105mm x 56mm

Net weight: 66g Gross weight: 81g

## PRODUCT PICTURE



## **PRODUCT OUTLINE**

# 90 mm

## **CARTON**

EAN: 5999097916156 Packaging: 1/b 100/c 2400/p

Dimensions: 520mm x 275mm x 375mm

Net weight: 6.6kg
Gross weight: 8.1kg

## **PALLET EXAMPLE**

Height:

Width: 120cm (std Euro pallet)
Mepth: 80cm (std Euro pallet)

Cartons per pallet: 24carton/pallet

Cartons per row:

Net weight: 158.4kg Gross weight: 194.4kg

# Datasheet and description



# Avide LED Downlight 38° Round 7W NW 4000K

**Product code:** ALDLS38NW-R-7W

**Brand link:** avidelighting.com/qr/ALDLS38NW-R-7W

**ID:** AB-190518

**Company name:** Armin Trade Kft.

Company address: Kossuth utca 22 2/4, 4024 Debrecen



**Date of issue:** 2023-08-25

Page: 3/3

## PRODUCT DESCRIPTION

The Avide spot lamps can be recessed into suspended ceilings and can be fixed easily. The internal part of the frame can be tilted, thus the light of the installed lamp can be directed in the preferred angle for maximum light utilization. Its light is directed, emitting light at an angle of 38 ° in a focused way. Also ideal for lighting narrower spaces, including kitchen counters and cabinets with a mirror. Available both in round and square form.